
ALPINE MOUNTAIN RAN LAND PRESERVATION SUBDIVISIO AMENDMENT NO. 5 A REPLAT OF ALPINE MOUNTAIN RANCH LAND SUBDIVISION EXEMPTION REMAINDER LOCATED IN SECTIONS 26, 34, AND 35, TOWNSHIP 6 N AND 3, TOWNSHIP 5 NORTH, ALL IN RANGE 84 WEST COUNTY, COLORADO	N EXEMP D PRESERVA PARCEL IORTH, AND
CERTIFICATE OF OWNERSHIP AND DEDICATION BE IT HEREBY MADE KNOWN: THAT ALPINE MOUNTAIN RANCH AT STEAMBOAT SPRINGS, LLLP, A COLORADO LIABILITY IMITED PARTNERSHIP BEING THE OWNERS OF THE LAND DESCRIBED AS FOLLOWS:	
OT 60, LOT 61, LOT 62, LOT 63 AND THE REMAINDER PARCEL, ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AS AMENDED BY ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 3 RECORDED AT FILE NO. 13927 AND RECEPTION NO. 685616 OF ROUTT COUNTY RECORDS, COUNTY OF ROUTT, STATE OF	
COLORADO, CONTAINING A CALCULATED AREA OF 920.63 ACRES, AS LAID OUT, PLATTED AND SUBDIVIDED SAME AS SHOWN ON THIS PLAT AND PURSUANT TO ALL ACCOMPANYING OCCUMENTS REFERENCED HEREON, AND DO HEREBY IRREVOCABLY DEDICATE TO AND FOR THE PERPETUAL USE OF THE PUBLIC BY AND THROUGH THE COUNTY OF ROUTT, STATE OF COLORADO, ROAD, UTILITY AND DRAINAGE EASEMENTS AS SHOWN OR NOTED HEREON, AND ALSO DOES HEREBY IRREVOCABLY DEDICATE TO AND FOR THE PERPETUAL USE OF THE PUBLIC THOSE PORTIONS OF LAND LABELED AS EASEMENTS FOR THE INSTALLATION AND MAINTENANCE OF PUBLIC UTILITIES AS SHOWN HEREON. IN ADDITION THE VACATED EASEMENTS HEREON ARE VACATED FROM PUBLIC AND PRIVATE UTILITY	<u>Survey not</u> 1. The pu
COMPANY USE. N WITNESS WHEREOF, THE SAID ALPINE MOUNTAIN RANCH AT STEAMBOAT SPRINGS, LLLP, A COLORADO LIABILITY LIMITED PARTNERSHIP HAS CAUSED ITS NAME TO BE HEREUNTO SUBSCRIBED THIS DAY OF , 2019.	EASEME SUBDIVI OF THE ON SAIE
BY	2. BASIS (Northe
PARTNERSHIP THE FOREGOING CERTIFICATE OF OWNERSHIP AND DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS DAY DF, 2019, BY W.P. BUTLER AS MANAGER OF STEAMBOAT ALPINE DEVELOPMENT, LLC, A COLORADO IMITED LIABILITY COMPANY, GENERAL PARTNER OF ALPINE MOUNTAIN RANCH AT STEAMBOAT SPRINGS, LLLP, A COLORADO	3. NOTICE AND EN EASEME FINAL P
IABILITY LIMITED PARTNERSHIP STATE OF COLORADO } }SS	4. ALL REF RECORD
COUNTY OF ROUTT }	5. EXCEPT NOTED
MY COMMISSION EXPIRES:	AT REC MOUNTA 677071 PRESER COUNTY
	<u>PLAT NOTES</u> THE FOLLOWI a. ROUTT C
CONSENT OF DEED OF TRUST BENEFICIARY	b. ROUTT C
THE UNDERSIGNED BEING THE BENEFICIARY UNDER THAT CERTAIN DEED OF TRUST ENCUMBERING THE PREMISED SUBDIVIDED HEREIN, SAID DEED OF TRUST BEING RECORDED AT RECEPTION NO. 784211 IN THE ROUTT COUNTY RECORDS, EXPRESSLY CONSENTS TO AND JOINS IN THE PLATTING AND SUBDIVISION SHOWN HEREON AND HEREBY SUBORDINATES THE INTERESTS OF THE UNDERSIGNED EXISTING BY VIRTUE OF SAID DEED OF TRUST TO THE SUBDIVISION AND CONVEYANCE SHOWN HEREON.	HARMLES REASON PROTECTI IS DUE T SHALL NO PROVIDE
COBIZ BANK	c. All Exte
BYASASASOF COBIZ BANK THE FOREGOING CERTIFICATE OF OWNERSHIP AND DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS DAY OFA2019, BYAS	d. APPLICAE DEVELOPI COUNTY EXEMPTIC AND SEC
OF COBIZ BANK. STATE OF COLORADO } }SS	e. ROUTT C EXEMPTIC RECORDS PRESERV
COUNTY OF ROUTT }	THE ROU f. THE SUB
MY COMMISSION EXPIRES: 	NO. 6705

TION

TION

SECTIONS 2 P.M., ROUTT



RPOSE OF THIS PLAT IS TO VACATE LOTS 60, 61, 62, AND 63 AND THE ASSOCIATED ACCESS AND UTILITY NTS AS SHOWN AND DEFINED ON THE FINAL PLAT OF THE ALPINE MOUNTAIN RANCH LAND PRESERVATION SION EXEMPTION AMENDMENT NO. 3 AND CREATE FOUR NEW LOTS IN AREAS WHICH ARE CURRENTLY PART REMAINDER PARCEL. THERE IS TO BE NO NET LOSS OF ACREAGE OF THE REMAINDER PARCEL AS DEFINED ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 3.

BEARING: N87°46'11"E, 2602.90 FEET BETWEEN THE NORTH $\frac{1}{4}$ CORNER OF SECTION 34 AND THE AST CORNER OF SECTION 34 BETWEEN FOUND MONUMENTS.

OF RESEARCH: THIS LAND SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY FOUR POINTS SURVEYING GINEERING TO DETERMINE OWNERSHIP OR EASEMENTS OF RECORD. FOR ALL INFORMATION REGARDING NTS, RIGHTS-OF-WAY OR TITLE OF RECORD, FOUR POINTS SURVEYING AND ENGINEERING RELIED UPON THE AT OF THE ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AND _____ COMPANY TITLE COMMITMENT NO. _____, EFFECTIVE DATE _____

ERENCES HEREON TO BOOKS, PAGES, FILES AND RECEPTION NUMBERS ARE PUBLIC DOCUMENTS FILED IN THE OF THE ROUTT COUNTY CLERK AND RECORDER.

AS HEREIN MODIFIED, ALL PLAT NOTES, ENCUMBRANCES, EASEMENTS, RIGHTS OR RESERVATIONS SHOWN OR ON ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 3 AS RECORDED PTION NO. 685616 AT FILE NO. 13927 IN THE ROUTT COUNTY RECORDS AND SHOWN OR NOTED ON ALPINE IN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 1 AS RECORDED AT RECEPTION NO. AT FILE NO. 13865 IN THE ROUTT COUNTY RECORDS AND SHOWN OR NOTED ALPINE MOUNTAIN RANCH LAND ATION SUBDIVISION EXEMPTION AS RECORDED AT RECEPTION NO. 650154 AT FILE NO. 13686 IN THE ROUTT RECORDS ARE HEREBY INCORPORATED HEREIN PURSUANT TO THIS REFERENCE.

IG NOTES ARE REQUIRED OF THE PROPERTIES WITHIN THIS FINAL PLAT. OUNTY IS NOT RESPONSIBLE FOR MAINTAINING OR IMPROVING SUBDIVISION ROADS. THE ROADS SHOWN HAVE NOT BEEN DEDICATED OR ACCEPTED BY THE COUNTY.

DUNTY (COUNTY) AND STEAMBOAT SPRINGS RURAL FIRE PROTECTION DISTRICT (DISTRICT) SHALL BE HELD FROM ANY INJURY, DAMAGE OR CLAIM THAT MAY BE MADE AGAINST THE COUNTY OR THE DISTRICT BY DF THE COUNTY'S OR THE DISTRICT'S FAILURE TO PROVIDE AMBULANCE, FIRE, RESCUE, OR POLICE ON TO THE PROPERTY DESCRIBED ON THIS PLAT. PROVIDED THAT THE FAILURE TO PROVIDE SUCH SERVICES INACCESSIBILITY OF THE PROPERTY BY REASON OF INTERNAL ROADS BEING IMPASSABLE. THIS CONDITION RELIEVE THE COUNTY OR THE DISTRICT OF THE RESPONSIBILITY TO MAKE A BONA FIDE EFFORT TO EMERGENCY SERVICES SHOULD THE NEED ARISE.

RIOR LIGHTING SHALL BE DOWNWARD CAST AND OPAQUELY SHIELDED.

LE ROUTT COUNTY AGREEMENTS: ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION IENT AGREEMENT DATED DECEMBER 19, 2006 AND RECORDED AT RECEPTION NO. 650169 OF THE ROUTT ECORDS AS AMENDED BY FIRST AMENDMENT TO ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EFFECTIVE JANUARY 8, 2008 AND RECORDED AT RECEPTION NO. 677072 OF THE ROUTT COUNTY RECORDS OND AMENDMENT THERETO RECORDED AT RECEPTION NO. 685617.

OUNTY SUBDIVISION IMPROVEMENTS AGREEMENT ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION DATED DECEMBER 19, 2006 AND RECORDED AT RECEPTION NO. 5650170 OF THE ROUTT COUNTY AS AMENDED BY ROUTT COUNTY SUBDIVISION IMPROVEMENTS AGREEMENT ALPINE MOUNTAIN RANCH LAND TION SUBDIVISION EXEMPTION EFFECTIVE JANUARY 1, 2009 AND RECORDED AT RECEPTION NO. 685576 OF COUNTY RECORDS.

ECT PROPERTY IS SUBJECT TO THE DOCUMENTS RECORDED AT RECEPTION NO. 659204 AND AT RECEPTION 99 OF THE ROUTT COUNTY RECORDS.

BOARD OF COUNTY COMMISSIONERS APPROVAL

THIS PLAT HAS BEEN REVIEWED AND IS HEREBY APPROVED FOR FILING BY ROUTT COUNTY PURSUANT __ OF THE ROUTT COUNTY SUBDIVISION REGULATIONS. ROUTT COUNTY HEREBY ACCEPTS THE ACCESS AND UTILITY EASEMENT VACATIONS AS SHOWN ON THIS PLAT. THE MAINTENANCE OF ANY ROAD, RIGHT OF WAY, OR EASEMENT SHOWN ON THIS PLAT IS SUBJECT TO THE DISCRETION OF THE BOARD OF COUNTY COMMISSIONERS AND THE BOARD, BY APPROVAL OF THIS PLAT, MAKES NO COMMITMENT EITHER EXPRESS OR IMPLIED REGARDING ANY LEVEL OF SERVICE OR MAINTENANCE OF SUCH ROAD, RIGHT OF WAY, OR EASEMENT AS DEDICATED AND ACCEPTED HEREIN. DATED THIS _____ DAY OF _____, 2019.

M. ELIZABETH MELTON, CHAIR, BOARD OF COUNTY COMMISSIONERS ROUTT COUNTY, COLORADO ATTEST:

ATTORNEY'S OPINION

ATTORNEY'S OPINION

I, JOHN A. VANDERBLOEMEN, BEING AN ATTORNEY AT LAW DULY LICENSED TO PRACTICE IN THE STATE OF COLORADO, HEREBY CERTIFY THAT I HAVE EXAMINED LAND TITLE GUARANTY INSURANCE COMPANY TITLE , EFFECTIVE _____, 2019, AND BASED UPON SAID TITLE COMMITMENT, IT IS COMMITMENT NO. MY OPINION THAT TITLE TO THE REMAINDER PARCEL AND LOTS 60, 61, 62, AND 63, ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 3 IS IN ALPINE MOUNTAIN RANCH AT STEAMBOAT SPRINGS, LLLP, FREE AND CLEAR OF ALL LIENS, TAXES, AND ENCUMBRANCES, EXCEPT THE LIEN OF GENERAL REAL PROPERTY TAXES, PATENT RESERVATIONS, RESTRICTIONS, RESERVATIONS, AGREEMENTS AND COVENANTS OF RECORD, AND THE DEED OF TRUST SUBORDINATED HEREIN.

DATED THIS ___ DAY OF ____, 2019.

JOHN A. VANDERBLOEMEN, ATTORNEY AT LAW

PLANNING DIRECTOR APPROVAL

THE ROUTT COUNTY PLANNING DIRECTOR DID HEREBY AUTHORIZE AND APPROVE THIS PLAT OF THE ABOVE SUBDIVISION ON THIS _____ DAY OF ____, AD, 2019.

CHAD PHILLIPS, ROUTT COUNTY PLANNING DIRECTOR

SURVEYOR'S CERTIFICATE

I, WALTER N. MAGILL, PLS NO. 38024, BEING A REGISTERED LAND SURVEYOR IN THE STATE OF COLORADO, DO HEREBY CERTIFY THAT THIS PLAT AND SURVEY OF THE ALPINE MOUNTAIN RANCH LAND PRESERVATION SUBDIVISION EXEMPTION AMENDMENT NO. 5 (I) WAS PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION, (II) HAS BEEN PREPARED IN COMPLIANCE WITH ALL APPLICABLE LAWS OF THE STATE OF COLORADO AT THE TIME OF THIS SURVEY (III) IS ACCURATE TO THE BEST OF MY KNOWLEDGE. SURVEY PINS, MARKERS AND/OR MONUMENTS WERE SET AS REQUIRED AND SHOWN HEREON.

BY: ______ Walter N. Magill, Pls 38024

THIS PLAT WAS ACCEPTED FOR FILING IN THE OFFICE OF THE CLERK AND RECORDED OF ROUTT COUNTY, COLORADO THIS _____ DAY OF _____ A.D., 2019

KIM BONNER ROUTT COUNTY CLERK AND RECORDER

ROUTT COUNTY SURVEYOR CERTIFICATE THIS PLAT WAS FILED AND INDEXED AS FILE NO. SP_____ ON _____ DAY OF _____, 2019, AT _____, _.M. IN THE LAND SURVEY PLAT RECORDS FILE AND INDEX SYSTEM MAINTAINED IN THE OFFICE OF ROUTT COUNTY CLERK AND RECORDER PURSUANT TO C.R.S. 38-50-101. ROUTT COUNTY SURVEYOR


THOMAS H. EFFINGER, JR. PLS 17651

BY: KIM BONNER, ROUTT COUNTY CLERK AND RECORDER

DATED THIS _____ DAY OF _____ 2019.

ROUTT COUNTY CLERK AND RECORDER'S ACCEPTANCE

RECEPTION NUMBER ______ TIME: ______ .M. AND FILE NO. _____




DATE: <u>5-2-2019</u> DESIGN: <u>WNM</u> JOB NO. 1147-001 DRAFTED: WNM DWG. NAME REVIEW:

Four Points Surveying and Engineering

440 S. Lincoln Ave, Suite 4B P.O. Box 775966, Steamboat Springs, CO 80487 (970)-871-6772 wnmpepls@gmail.com




SHEET NO. OF







400), 3

~







NORTH ¼ CORNER OF SECTION 35 FOUND 3¼" ALUMINUM CAP	
ON 2½" ALUMINUM PIPE BLM, 1983	

UNITED STATES FOREST SERVICE


LINE		LENGTH	BEARING
L1	R	395.76	S84°24'28"W
L2	(R1)	81.08	N89°52'01"W
L3	R	236.46	N00°01'02''W
L4	R	343.87	\$88°26'42''W
L5	R	228.15	S02°43'11"E
L6	R	171.78	S88°31'07''W
L7	R	327.77	S88°31'07''W
L8	R	950.00	S87°43'12"W
L9	R	950.00	S00°22'09"W
L10	R	728.76	N87°43'12"E
L11	R	686.42	S08°45'39"E
L12	R	149.67	N89°25'33"E
L13	R	680.69	S00°58'47''W
L14	R	670.13	N00°53'56"E
L15	R	652.29	N00°57'42"E
L16	R	659.53	N01°02'33"E
L17	R	33.00	S00°06'55''W
L18	(R1)	239.34	S00°14'53"W
L19	(R1)	137.31	S00°54'23''W
L20	(R1)	1.58	S89°05'37"E
L21	(R1)	7.27	S00°14'53"W
L22	(R2)	81.09	N89°52'01''W
L23	(R2)	380.33	S00°06'09"E
L24	(M)	327.90	S88°27'48''W
L25	(M)	950.99	\$87°43'42''W
L26	(M)	954.83	S00°12'41''W
L27	(M)	727.49	N87°19'01"E
L28	(M)	250.00	N87°37'52"E
L29	(M)	682.06	S00°44'53"W
L30	(M)	670.20	N00°43'23"E
L31	(M)	652.72	N00°55'26"E
L32	(M)	658.88	N01°01'21"E
L33	(M)	140.06	S00°25'46"E
		-	

UMIN	IUM	CAP	
MUN	PIP	E	

CURVE	LENGTH	RADIUS	DELTA	TANGENT	CHORD	BEARING
C1	548.4	1970.00	15°56'59"	275.98	546.63	N07°43'14''W
C2	527.29	1971.35	15°19'31"	265.23	525.72	N07°45'55"W
C3	552.71	1970.00	16°04'30"	278.18	550.9	N07°29'05"W


(R)	RECORD BEARING AND DISTANCE PER A.L.T.A PERFORMED BY D & D, INC. AS PROJECT 2152–13
(R1)	RECORD BEARING AND DISTANCE PER LEGAL DESCRIPTION BASED UPON TRANSNATION TITLE INSURANCE COMPANY TITLE COMMITMENT NO. TNSS0003995, AND FINAL PLAT PLAT FILED AT 13686.
(M)	SURVEYED BEARING AND DISTANCE BETWEEN FOUND MONUMENTS INDICATED HEREON AND FINAL PLAT PLAT FILED AT 13686.

SOUTHEAST CORNER OF LOT 6, SECTION 2 PER THE DEPENDENT RESURVEY AND SUBDIVISION



SHEET #


3




Curve Table					
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C1	289.69	350.00	47.42	S27° 54' 48"E	281.49
C2	65.80	200.00	18.85	N46°20'53"E	65.50
C3	79.03	150.00	30.19	N19°17'47"W	78.12
C4	46.84	350.00	7.67	N71°14'31"W	46.81
C5	341.35	450.00	43.46	S89°08'19"E	333.22
C6	116.76	350.00	19.11	S65° 31' 10"E	116.22
C7	59.21	280.00	12.12	N62°01'14"W	59.10
C8	231.55	250.00	53.07	N28° 55' 12"E	223.36
C9	115.09	150.00	43.96	N24°22′02"E	112.29
C10	111.76	127.00	50.42	S72°18'23"E	108.19
C11	142.70	203.98	40.08	N77°28'32"W	139.80
C12	236.19	176.29	76.76	N84°11'06"E	218.92
C13	153.10	127.00	69.07	S80°20'22"W	143.99
C14	105.09	150.00	40.14	S85°11′47"E	102.95
C15	72.54	160.00	25.98	S75°56'58"W	71.92
C16	114.60	160.00	41.04	N68°25'07"E	112.17
C19	206.21	127.00	93.03	N79°00'31"W	184.29
C20	95.56	127.00	43.11	S54°03'00"E	93.32
C21	290.58	127.00	131.10	N38°50'44"E	231.22
C23	137.66	225.00	35.06	S45°42'07"E	135.52
C24	410.71	237.00	99.29	S35°13'55"E	361.21
C25	163.86	140.00	67.06	N74°07'58"E	154.67
C26	61.93	250.00	14.19	S84° 43' 35"E	61.77

		(Curve T	able	
Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C27	272.64	350.00	44.63	N69° 30' 27"W	265.80
C28	402.32	760.00	30.33	S67°46'13"E	397.64
C29	282.38	150.00	107.86	S27° 34' 36"W	242.49
C30	241.65	200.00	69.23	N78°18'57"W	227.22
C31	87.73	165.00	30.47	S58° 56' 03"E	86.70
C32	51.40	127.00	23.19	N62°02'04"E	51.05
C33	90.79	220.00	23.65	N40°23'11"W	90.15
C34	53.72	220.00	13.99	N21°34'08"W	53.58
C35	170.46	150.00	65.11	N6°12'05"E	161.44
C36	87.06	127.00	39.28	S19°07'05"W	85.37
C37	255.41	140.00	104.53	S60° 40' 03"E	221.43
C38	165.69	127.00	74.75	N45°46'46"W	154.19
C39	97.52	250.00	22.35	S71°58'48"E	96.90
C40	65.15	400.00	9.33	S56°08'21"E	65.08
C41	295.64	375.00	45.17	S79°28'34"W	288.05
C42	79.14	710.00	6.39	S53° 41' 51"W	79.10
C43	135.67	600.00	12.96	N71°27'37"W	135.39
C44	82.97	200.00	23.77	S76° 52' 02"E	82.38
C45	103.17	200.00	29.56	N76°28'12"E	102.03
C46	139.33	175.00	45.62	S84° 30' 05"W	135.68
C47	174.96	130.00	77.11	N59° 31' 13"E	162.05
C48	552.71	1970.00	16.08	N7°29'05"W	550.90
C49	66.81	127.00	30.14	S77° 31' 32"W	66.04

		(Curve ⁻	Tabl
Curve #	Length	Radius	Delta	Cho
C50	85.22	140.00	34.88	N48
C51	28.26	127.00	12.75	S59
C53	459.48	570.00	46.19	N26
C54	73.66	135.67	31.11	S33
C56	87.24	200.00	24.99	S30
C57	23.42	40.00	33.55	N68
C58	71.80	760.00	5.41	S49
C59	33.94	530.00	3.67	S50
C60	84.49	127.00	38.12	N73
C64	30.60	127.00	13.81	N56
C65	20.95	130.00	9.24	S77
C71	139.44	127.38	62.72	S17
C72	124.29	150.00	47.48	S86
C73	110.46	160.00	39.56	N89
C73	110.46	160.00	39.56	N8







MATCI HLIN Ţ SHEET

ノ

MATCHLINE SHEET 5



MATCHLINE SHEET 5





	Line	Table
Line #	Length	Direction
L1	148.38	N28°10'28"W
L2	72.27	N63°13′46"W
L3	88.06	S28°46'37"W
L4	162.63	S39°28'55"E
L5	105.17	S44°48'53"E
L6	181.87	S51°03′30"E
L7	64.14	S62°37'00"E
L9	176.12	N64°05'14"E
L10	255.44	N86°12'02"E
L11	391.28	S77°54'01"E
L12	413.04	N42°37'35"E
L13	287.48	S62°04'19"E
L14	179.24	S67°24'28"E
L15	103.86	S75°04'34"E
L16	157.58	S55° 57' 46"E
L17	114.26	N2°23'11"E
L18	83.25	N46°20'54"E
L19	179.51	N82°28'59"E
L20	87.05	S57°26'04"E
L21	79.84	N45°48'16"E
L22	149.38	S65°07'32"E
L23	274.92	S13°54'51"W
L24	225.64	S79°22′44"E
L25	119.16	S5°20'06"W
L26	200.42	S55°03'42"E
L27	253.04	N67°33'07"E
L28	214.05	S88°58'49"E
L29	176.64	N23°05'12"E
L30	33.00	S0°06'55"W
L31	63.58	S34°23′26"E

MATCHLINE

SHEET

6

	Line	Table
Line #	Length	Direction
L32	80.66	S36°55'23"V
L33	223.59	N75°51'26"W
L34	212.67	N56°53'27"E
L35	73.02	S64°58'57"E
L36	101.52	N61°41'31"E
L37	146.44	S72°41'22"E
L38	258.52	S50° 30' 55"E
L39	217.35	S17°01'48"E
L40	247.39	S45°30'53"V
L41	233.52	N58°08'39"V
L42	275.90	S69°56'40"W
L43	85.31	N38°45'27"E
L44	87.46	N26°21'17"W
L45	39.99	N26°21'17"W
L46	211.72	N67°04'11"E
L47	59.23	N67°04'11"E
L48	114.03	N43°42'05"V
L49	65.47	N52°12′32"W
L50	54.57	N14° 34' 26"W
L51	171.78	S88° 31' 07"W
L52	148.25	S60°48'19"E
L53	94.97	N1°12′40"W
L54	36.53	S51°28'23"E
L55	145.55	S83°09'17"E
L56	59.28	S77°17'02"W
L57	70.42	N84° 57' 39"V
L58	93.21	N84° 55' 26"V
L59	85.21	S83°03'06"V
L60	77.08	S74°29'09"V
L61	51.95	S63°27'02"W

Line Table				
Line #	Length	Direction		
L62	7.16	N53°23′45"E		
L63	146.35	N66°09'14"E		
L75	72.85	S46°39'40"E		
L80	85.60	S24°48'54"W		
L81	75.84	N86°46'40"W		
L82	115.27	S87°52'50"W		
L83	66.50	N21°38'44"W		
L84	84.25	N38°20'27"E		
L85	133.79	N81°17′42"E		
L86	94.61	S33°31'51"E		
L87	80.28	N40°25'26"W		
L88	102.79	N83° 43' 45"W		
L89	170.00	N8°48'30"E		
L90	99.50	S81°11'30"E		
L91	165.48	S7°42'16"W		
L92	72.48	S17°06'53"W		
L93	5.14	N12°09'05"W		
L94	10.59	N28°33'50"W		
L95	143.82	N90°00'00"E		
L96	155.82	S85°43'20"E		
L97	111.34	S2°23'34"E		
L98	118.47	N78°43′55"W		
L99	127.53	N75°31'47"W		
L100	93.39	N43°24'09"W		
L101	77.48	S62°27'20"W		
L103	83.43	N70°04'08"W		
L105	258.34	N22°38'41"E		
L106	83.08	N69°22'23"E		
L107	191.34	S66°42'28"E		
L108	114.78	S28°09'34"W		

	Lin
Line #	Length
L109	185.85
L110	83.64
L111	97.27
L112	430.0

